UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/924,620	08/07/2001	Marcus Tong	2001P4227US01	3155

7590   03/08/2007

Siemens Corporation
Attn: Elsa Keller, Legal Administrator
Intellectual Property Department
186 Wood Avenue South
Iselin, NJ 08830

EXAMINER
CHANG, RICHARD

ART UNIT	PAPER NUMBER
2616	

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
3 MONTHS	03/08/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

PTOL-90A (Rev. 10/06)

Office Action Summary	Application No.	Applicant(s)
	09/924,620	TONG ET AL.
	Examiner	**Art Unit**	
	Richard Chang	2616	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) FROM
THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed
  after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any
  earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on <u>06 December 2006</u>.

2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is

    closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) <u>1-10, 12, 14, 16-20</u> is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) <u>1-10,12,14 and 19-20</u> is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☒ The drawing(s) filed on <u>07 August 2001</u> is/are: a)☒ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage

        application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)

2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
    Paper No(s)/Mail Date _____.

4) ☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____ .

5) ☐ Notice of Informal Patent Application (PTO-152)

6) ☐ Other: _____.

DETAILED ACTION

Response to Amendment

1. Applicant's arguments and amendments, filed on 12/06/2006, with respect to claims 1-10, 12, 14, and 16-20 have been fully considered but are moot in view of the new ground(s) of rejection.

Claims 11, 13 and 15-18 had been canceled.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which the subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

3. Claims 1-10, 12, 14, and 16-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over US patent US patent No. 6,049,565 ("Paradine et al.") in view of US patent No. 5,327,391 ("Hirata") and further in view of US patent No. 5,812,944 A ("Matsumoto").

Regarding claims 1, 5, 12, 14, and 19, Paradine et al. teach an audio communication method and apparatus over network traffic (See Fig. 1) comprising of

an audio input (305),

an audio output (340),

interface circuitry comprising first and second jitter buffers (320 double buffer) operably coupling the audio input (305) to a voice encoder DSP (315) and third and

fourth jitter buffers (330 double buffer) operably coupling the audio output (340) to a

voice decoder DSP (315),

wherein the first or second jitter buffers (320 double buffer for audio IN path)

alternately fill (See step 515, Fig. 5 as adding sample to memory and increase length

count) at a first clock frequency (sampling clock via 305 CODEC circuitry block) and

empty (See step 525, Fig. 5 as transmitting sample to memory and decrease length

count) at a second clock frequency (clock on DSP side for network interface) (see Col.

4, lines 27-50),

wherein alternation between the first and second jitter buffers occurs at the

second clock frequency (CCITT G.711 format 8 ms frame for DSP/network interface,

See Col. 5, lines 55-65), and

wherein the third or fourth jitter buffers (330 double buffer for audio OUT path)

alternately fill (See step 515, Fig. 5 as adding sample to memory and increase length

count) at the second clock frequency (clock on DSP side for network interface) and

empty (See step 525, Fig. 5 as transmitting sample to memory and decrease length

count) at the first clock frequency (sampling clock via 305 CODEC circuitry block),

wherein alternation between the third and fourth jitter buffers (330 double buffer) occurs

at the second clock frequency (CCITT G.711 8 ms format frame for DSP/network

interface, See Col. 5, lines 55-65).

Paradine et al. teaches substantially all the claimed invention but did not disclose

expressly the detailed structure of the double buffers besides their functionality and

application.

Hirata teaches that the rate adaptation and jitter smoothing method with the double buffer structure comprising of

providing first circuitry (21, 25-1 and 25-2) in a first clock (101) domain operable at a first clock (101) frequency,

providing second circuitry (22, 26-1 and 26-2) in a second clock (103) domain operable at a second clock (103) frequency,

providing first and second jitter buffers (24-1 and 24-2) interfacing between the first circuitry (11) and the second circuitry (12) domain,

wherein the first or second jitter buffers (24-1 and 24-2) alternately fills at the first clock (101) frequency and empty at the second clock (103) frequency,

wherein alternation between the third and second fourth buffers (24-1 and 24-2) occurs at the second clocking frequency (104) (See Fig. 1, Col 4, lines 4-49), and

the alternation of the first or second jitter buffers and the third and second fourth buffers occurs simultaneously at the second clocking frequency (104) (See Fig. 2, Col. 8, lines 43-62).

At the time the invention was made, therefore, it would have been obvious to one of ordinary skill in the art to combine Hirata with Paradine et al. in order to obtain a method to manage double buffers across two different clock domains for transmission of voice over network and to take advantage of utilizing double buffers across different clock domains.

The motivation to do so would have been to utilize double buffers across different clock domains for jitter smoothing and rate adaptation in voice communication, as suggested by Hirata in Col 4, lines 4-49.

Paradine et al. and Hirata teach substantially all the claimed invention with only a simple voice communication example using a voice-sampling clock as first clock frequency and a frame clock as second clocking frequency for transmission.

Matsumoto teaches a more advanced and clear example of block-oriented (or frame-oriented) voice coding scheme (such as Linear Predictive Coding scheme) voice communication system using a voice-sampling clock (64-kbps PCM sampling) as first clock frequency in the first clock domain (right side of buffered codec 13) and a frame clock (20 ms frame) in the second clock domain (left side of buffered processor 13) for transmitting framed, compressed voice over the wireless network (via antenna 8) (See Fig. 1, Col. 2, lines 23-57).

At the time the invention was made, therefore, it would have been obvious to one of ordinary skill in the art to combine Matsumoto with Paradine et al. and Hirata in order to obtain a method to manage double buffers across two different clock domains for transmission of voice over network and to take advantage of using a voice-sampling clock as first clock frequency in the first clock domain and a frame clock in the second clock domain for transmitting framed, compressed voice over the wireless network.

The motivation to do so would have been to using a voice-sampling clock as first clock frequency in the first clock domain and a frame clock in the second clock domain

for transmitting framed, compressed voice over the wireless network, as suggested by

Hirata in Col. 2, lines 23-57.

Regarding claim 2, this claim has similar limitation as claim 1 and Paradine et al.

further teach that the first circuitry comprising an audio input (305 microphone), the

second circuitry comprising an encoder (315 DSP1) (See Fig. 7), thus it is rejected with

the same rationale applied against claim 1 above.

Regarding claim 3, this claim has similar limitation as claim 1 and Paradine et al.

further teach that the first circuitry comprising an audio input (340 speaker), the second

circuitry comprising an decoder (315 DSP2) (See Fig. 7), thus it is rejected with the

same rationale applied against claim 1 above.

Regarding claim 6, this claim has similar limitation as claim 1 and Paradine et al.

further teach that the interface circuitry comprising one or more digital signal processors

(DSP) (See Col. 4, lines 43-50), thus it is rejected with the same rationale applied

against claim 1 above.

Regarding claims 4 and 7-8, these claims have similar limitation as claims 1, 6

and 17 and Paradine et al. further teach that the first clock frequency comprising an

audio 44.1 Khz sample clock (see Col. 4, lines 27-50), and the second clock frequency

comprising a G711 compatible 8 ms frame clock (See Col. 5, lines 55-65), thus it is

rejected with the same rationale applied against claims 1, 6 and 17 above.

Regarding claims 9-10, these claims have similar limitation as claim 8 and

Paradine et al. further teach that that the encoded voice data may be G711 compatible

8 ms frame based as 64 samples (See Col. 5, lines 55-65), it is equivalent to a 20 ms

frame with 160 samples plus buffering for overflow as 165 samples per frame (See Col.

6, lines 46-50), thus it is rejected with the same rationale applied against claim 8 above.

Regarding claim 20, this claim has similar limitation as claim 19 and Paradine et

al. further teach that the encoded voice data may be transmitted based on CCITT G.711

format as 8 ms frame per voice data block, this is applicable to different frame sizes

voice codec such as GSM phone (See col. 6, lines 56-65), thus it is rejected with the

same rationale applied against claim 19 above.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in

this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37

CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within

TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the

shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Richard Chang whose telephone number is (571) 272-

3129. The examiner can normally be reached on Monday - Friday from 8 AM to 5 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Wing Chan can be reached on (571) 272-7493. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

rkc

Richard Chang
Patent Examiner
Art Unit 2616

WING CHAN
SUPERVISORY PATENT EXAMINER